



# ACCREDITED LAB CERTIFICATE

THIS CERTIFICATE IS AWARDED TO

**Eurojersey Spa**

and approves that this lab is now certified and accredited under their supervision, in accordance with the test methods and conditions set out in the lululemon Supplier Laboratory Accreditation Manual.

Test Method

Fabric Weight  
pH in Textile  
Dimensional Change of Fabrics After Home Laundering  
Appearance After Care  
Pilling Resistance  
Snagging  
Abrasion Resistance  
Elongation, Modulus & Recovery  
CF to Laundering  
CF to Crocking  
CF to Water  
CF to Perspiration (Acidic & Alkaline)  
CF to Light  
Phenolic Yellowing

Reference #

ASTM D3776/D3776M [Option C]  
AATCC 81  
AATCC 135 (Option 1)  
  
AATCC TS-008 (Modified)  
ASTM D4970/D4970M  
ASTM D5362 (Option A)  
ASTM D4966 (Option 1)  
BS EN ISO 20932-1 (Modified)  
AATCC 61 (Modified)  
AATCC 8  
AATCC 107  
AATCC 15  
AATCC 16.3 (Option 3)  
ISO 105-X18

Technicians

Mr. Pasquale Pica & Ms. Alice Colombo  
Mr. Pasquale Pica & Ms. Alice Colombo  
Mr. Pasquale Pica & Ms. Alice Colombo  
  
Mr. Pasquale Pica & Ms. Alice Colombo  
Mr. Pasquale Pica & Ms. Alice Colombo  
Mr. Pasquale Pica & Ms. Alice Colombo  
Mr. Pasquale Pica & Ms. Alice Colombo  
Mr. Pasquale Pica & Ms. Alice Colombo  
Mr. Pasquale Pica & Ms. Alice Colombo  
Mr. Pasquale Pica & Ms. Alice Colombo  
Mr. Pasquale Pica & Ms. Alice Colombo  
Mr. Pasquale Pica & Ms. Alice Colombo  
Mr. Pasquale Pica & Ms. Alice Colombo  
Mr. Pasquale Pica & Ms. Alice Colombo

Under lab supervisor: Mr. Pasquale Pica  
Lab Address: Via San Giovanni Bosco,  
260 Caronno Pertusella (VA) 21042

Certificate issue date: December 20<sup>th</sup>, 2023  
Certificate expiration date: December 20<sup>th</sup>, 2024

Rene Wickham, VP Global Quality



# ACCREDITED LAB CERTIFICATE

THIS CERTIFICATE IS AWARDED TO

**Eurojersey Spa**

and approves that this lab is now certified and accredited under their supervision, in accordance with the test methods and conditions set out in the lululemon Supplier Laboratory Accreditation Manual.

Test Method

CF to Dye Transfer  
CF to Chlorinated Pool Water  
CF to Sea Water  
Fabric Width  
Wicking  
Bursting Strength  
Quick Dry

Reference #

AATCC 163 (Option 2) (Modified)  
AATCC 162 (Option 2)  
AATCC 106  
ASTM D3774 (Option B)  
LLL-10197  
ASTM D6797  
AATCC 201

Technicians

Mr. Pasquale Pica & Ms. Alice Colombo  
Mr. Pasquale Pica & Ms. Alice Colombo  
Mr. Pasquale Pica & Ms. Alice Colombo  
Mr. Pasquale Pica & Ms. Alice Colombo  
Mr. Pasquale Pica & Ms. Alice Colombo  
Mr. Pasquale Pica & Ms. Alice Colombo  
Mr. Pasquale Pica & Ms. Alice Colombo

Under lab supervisor: Mr. Pasquale Pica  
Lab Address: Via San Giovanni Bosco,  
260 Caronno Pertusella (VA) 21042

Certificate issue date: December 20<sup>th</sup>, 2023  
Certificate expiration date: December 20<sup>th</sup>, 2024

Rene Wickham, VP Global Quality